

Exit signs



Parallel to the wall



Perpendicular to the wall




Signal 7




**VIEWING
DISTANCE**

24 m.



The SIGNAL 7 Exit Signs have been designed as extremely versatile fittings to cover all installation needs. Made with a polycarbonate housing and a methacrylate blade guaranteeing a visibility distance of 24 m.



! Remote control option, please contact us



EN 60598-2-22
EN 60598-1


EN 1838 | 24 m

Signal 7

Standard

Maintained LED


IP
20

	FINISHING	COM.	AUTONOMY		PACKAGING
SG-K	White	—	1 h	0,9	8
SG-K-1	Anthracite	—	1 h	0,9	8
SG-K-2	Aluminium	—	1 h	0,9	8
SG3-K	White	—	3 h	0,9	8
SG3-K-1	Anthracite	—	3 h	0,9	8
SG3-K-2	Aluminium	—	3 h	0,9	8

Autotest


Maintained LED

IP
20

	FINISHING	COM.	AUTONOMY		PACKAGING
SGA-K	White	—	1 h	0,9	8
SGA-K-1	Anthracite	—	1 h	0,9	8
SGA-K-2	Aluminium	—	1 h	0,9	8
SGA3-K	White	—	3 h	0,9	8
SGA3-K-1	Anthracite	—	3 h	0,9	8
SGA3-K-2	Aluminium	—	3 h	0,9	8

Non-maintained LED

IP
20

	FINISHING	COM.	AUTONOMY		PACKAGING
SGEA-K	White	—	1 h	0,9	8
SGEA-K-1	Anthracite	—	1 h	0,9	8
SGEA-K-2	Aluminium	—	1 h	0,9	8
SGEA3-K	White	—	3 h	0,9	8
SGEA3-K-1	Anthracite	—	3 h	0,9	8
SGEA3-K-2	Aluminium	—	3 h	0,9	8



Each fitting includes:


- An SG fitting
- A diffuser blade SG-DB
- Four pictograms (2 left / 1 down / 1 white)
- An SG-AT accessory containing 3 pieces to install the SIGNAL fitting to the wall, either parallel or perpendicular.

Signal 7


Intelligent DALI

Compatible with **NormaLINK** 

Maintained LED


	FINISHING	COM.	AUTONOMY		PACKAGING
SGID-K	White	DALI	1 h	0,9	8
SGID-K-1	Anthracite	DALI	1 h	0,9	8
SGID-K-2	Aluminium	DALI	1 h	0,9	8
SGID3-K	White	DALI	3 h	0,9	8
SGID3-K-1	Anthracite	DALI	3 h	0,9	8
SGID3-K-2	Aluminium	DALI	3 h	0,9	8

Non-maintained LED

	FINISHING	COM.	AUTONOMY		PACKAGING
SGEID3-K	White	DALI	3 h	0,9	8
SGEID3-K-1	Anthracite	DALI	3 h	0,9	8
SGEID3-K-2	Aluminium	DALI	3 h	0,9	8

Central Battery System

Maintained LED

	FINISHING	POWER SUPPLY	CONSUMPTION	CURRENT		PACKAGING	
C24	SG-S24-K	White	24 Vcc	1,7 W	0,071 A	0,8	8
C24	SG-S24-K-1	Anthracite	24 Vcc	1,7 W	0,071 A	0,8	8
C24	SG-S24-K-2	Aluminium	24 Vcc	1,7 W	0,071 A	0,8	8
C24i	SIG-S24-K	White	24 Vcc	2,4 W	0,100 A	0,8	8
C24i	SIG-S24-K-1	Anthracite	24 Vcc	2,4 W	0,100 A	0,8	8
C24i	SIG-S24-K-2	Aluminium	24 Vcc	2,4 W	0,100 A	0,8	8

Each fitting includes:

- An SG fitting
- A diffuser blade SG-DB
- Four pictograms (2 left / 1 down / 1 white)
- An SG-AT accessory containing 3 pieces to install the SIGNAL fitting to the wall, either parallel or perpendicular.

Signal 7


Electrified track




Standard

Maintained LED

IP
20

	FINISHING	COM.	LUMEN OUTPUT	AUTONOMY		PACKAGING
SG-KD	White	—	100 lm	1 h	0,8	8
SG-KD-1	Anthracite	—	100 lm	1 h	0,8	8
SG-KD-2	Aluminium	—	100 lm	1 h	0,8	8



Each fitting includes:


- An SG fitting
- A diffuser blade SG-DB
- Four pictograms (2 left / 1 down / 1 white)

Signal 7 Accessories


Assembly accessories

SG-AT Fixation to the wall

Parallel to the wall
SG + SG-DB + SG-AT



Perpendicular to the wall
SG + SG-DB + SG-AT




SG-AC Set of accessories for assembly in a recessed universal box. White


SG-AC-1 Set of accessories for assembly in a recessed universal box. Anthracite

SG-AC-2 Set of accessories for assembly in a recessed universal box. Aluminium


Parallel to the wall



Perpendicular to the wall



Fixation to the wall




Signal 7 Accessories

Recession frames




- SG-ME** Recession frame. White colour
- SG-ME-1** Recession frame. Anthracite colour
- SG-ME-2** Recession frame. Aluminium colour



Ceiling mounting accessories








- SGKS-C** Ceiling suspension accessorie 100mm long. White colour
- SGKS-C-1** Ceiling suspension accessorie 100mm long. Anthracite colour
- SGKS-C-2** Ceiling suspension accessorie 100mm long. Aluminium colour
- SGKS-30** Ceiling suspension accessorie 300mm long. White colour
- SGKS-30-1** Ceiling suspension accessorie 300mm long. Anthracite colour
- SGKS-30-2** Ceiling suspension accessorie 300mm long. Aluminium colour
- SGKS-100** Ceiling suspension accessorie 1000mm long. White colour
- SGKS-100-1** Ceiling suspension accessorie 1000mm long. Anthracite colour
- SGKS-100-2** Ceiling suspension accessorie 1000mm long. Aluminium colour



Pictograms

Type SG Non adhesive pictogram 300 x 120 mm. *References according to table below*

 Please check for other pictograms

Type SG 300 x 120 mm				
REF. SG-NL	REF. SG-NR	REF. SG-NSD	REF. SG-NSU	
				

Maximum viewing distance
(according to EN1838 for internally illuminated signs)

24 m

Step lighting

